City Life

Our products for your casual use

MODECOM

No 1/2012 www.modecom.eu

Build
safe and stable
NETWORK
with us
Page 40

NOTEBOOK
POWER
ADAPTERS
Page 36

Do you have an overheating
notebook problem?
Don't wait until it's too late!

NOTEBOOK COOLERS
Page 5

Feel the strike of the sound!
Newest gaming headphones
Page 13

Contents:

GPS	3
Power convertors	4
Laptop coolers	5
Laptop tables	6
Webcams	7
Card readers, hubs	8
Pendrives	11
Headphones	12
Speaker systems	18
Starters	28
Computer cases	29
Laptop power supplies	40
Power supplies	42
Network devices	44
Computer mice	46
Keyboards	55
Laptop bags	60
Printing supplies	67

www.modecom.eu

NEW

FreeWAY AX

- CPU infoTmic: ARM11 1GHz;
- Memory Flash 4 GB MLC;
- RAM 256 MB DDR2;
- TF CARD Support 8GBTF Card;
- Display: LCD, 800×480 pixels;
- FM Transmitter: Yes;
- WIFI: Support IEEE 802.11b/g transport protocol;
- GPS: SiRF Star IV;
- G Sensor: Support accelerometer game;
- Operating System: Android 2.2

FreeWAY MX2

- CPU: SiRF Atlas-V, dual-core. CPU: ARM11, 500MHZ
- Memory Flash: Built-in Flash 2GB
- RAM: 128MB DDR
- Display: 5" TFT LCD
- Resolution: 480*272 pixels
- FM Transmitter: Yes
- Bluetooth: Yes, via Hands-free with echo cancellation, DUN, Phonebook
- Light-sensor: Yes
- Operating System: Microsoft Windows® CE .Net 6.0 Core version

FreeWAY MX2 HD

- CPU: SiRF Atlas-V, dual-core. CPU: ARM11, 533MHZ
- Memory Flash: Built-in Flash 2GB
- RAM: 128MB DDR
- Display: 5" TFT LCD
- Resolution: 800×480 pixels
- FM Transmitter: Yes
- Bluetooth: Yes, via Hands-free with echo cancellation, DUN, Phonebook
- Light-sensor: Yes
- Operating System: Microsoft Windows® CE .Net 6.0 Core version

This useful items will help you to load ever electronic item in your car. 12V output match to all cigarette inputs-converter will change electric power from 12V into 24V which you can supply with energy laptop, mp3, camera and many other items.

NEW

MC-C015

- Continuous Power: 150W
- Input Voltage: 12V/24V(DC)/15A
- Output voltage: 110V/230V(AC)/50Hz/60Hz
- Output voltage USB:5V(DC)/0.5A
- Number of protective contact sockets: II
- Weight: 0.5kg

NEW

MC-R015

- Continuous Power: 150W
- Input Voltage: 12V(DC)/15A
- Output voltage: 230V(AC)/50Hz
- Output voltage USB: 5V(DC)/0.5A
- Number of protective contact sockets: II
- Weight: 0.5kg

MODECOM Lep-R is an excellent anti-slip pad. It can be used on almost any surface. Thanks to a special kind of silicone Lep-R perfectly holds all small objects: cell phone, glasses, GPS, MP3 and many more. It doesn't contain glue and leaves no trace on surfaces. The Lep-R is made using high quality material and keeps its properties in both low and high temperatures. You can use it for years.

LEP-R

- Unique sticky
- Leaves no trace
- Perfect for car
- Holds objects: cell phone, glasses, gps, mp3

15"

MC-CF10

- Aluminium surface
- 120 mm ultra silent fan
- Anti - skid design
- USB with adapter
- Unique shape holes in the fan-grill inlet guarantee a very quiet and efficient air flow
- Anti - skid rubbermat
- Special holes ensure additional cooling

14"

NEW

MC-CF11

- NOTEBOOK COOLER
- Aluminium surface
- Dimensions (L x W x H): 330 x 257 x 34mm;
- Weight: 470g;
- FAN Rated voltage: 5VDC;
- Rated current: 0,15 +/- 0,02A;
- FAN speed: 1300 +/- 150RPM;
- Air flow: 56,7CFM;
- Noise level: 18dB;
- Bearing type: Hydraumatic

MC-CF12

- NOTEBOOK COOLER
- Aluminium surface
- Dimensions (L x W x H): 390 x 295 x 34mm;
- Weight: 550g;
- FAN Rated voltage: 5VDC;
- Rated current: 0,15 +/- 0,02A;
- FAN speed: 900 +/- 15%;
- Air flow: 68,3CFM;
- Noise level: 16dBA +/- 10%;
- Bearing type: Hydraumatic

17"

NEW

MODECOM Laptop tables

MODECOM laptop tables are perfect products for laptop/notebook users and people looking for uncompromising solutions. They make the use of a portable computer easy. Both tables are equipped with all necessary accessories which significantly improve the ergonomics. Height adjustment helps to fit the table to the individual needs.

MC COMFORT P10

- Dimensions: 55 x 32 x 8,5 cm
- Material: high quality plastic
- Two independent table-top parts (adjustable tilt angle of both of them)
- Mouse pad
- Adjustable table height
- Compartments for pens, pencils and small office supplies
- 4 port USB HUB
- A light with 3 LEDs

MC COMFORT FAN PF10

- Dimensions: 55 x 30 x 7,5 cm
- Material: high quality plastic
- Two independent table-top parts (adjustable tilt angle of both of them)
- Mouse pad with gel wrist pillow
- Cooling fan
- Adjustable table height
- Compartments for pens, pencils and small office supplies
- 4 port USB HUB
- A light with 3 LEDs

MODECOM Webcams are exceptional not only for its modern design and unique shape but also for its innovative technology. Owing to the universal system of assembling they are adjusted to CRT as well as LCD monitors.

VENUS

- Color: glossy black-silver
- Sensor Type: 1/4" CMOS
- Built-in microphone
- Native Resolution: 1600X1200 pixels
- Video Capture: Up to 1600X1200 pixels
- Still Image Capture: True 1600X1200 pixels
- Frame Rate: Up to 30fps @ 640X480 pixels; Up to 15 fps @ 1600X1200 pixels
- Image Format: RGB24
- Focal Length: 30mm~infinity
- Brightness: Auto, 4 LED's
- Exposed Control: Auto
- USB Protocol: USB 2.0
- Power: DC 5.2V

SATURN

- Sensor Type: 1.3 MPix CMOS,
- Native Resolution: 1280×1024 pixels
- Video Capture: Up to 640×480 pixels
- Still Image Capture: True 1280×1024 pixels
- Frame Rate: Up to 30fps @ 640×480 pixels; Up to 15 fps @ 1280 × 1024 pixels
- Image Format: YUY2
- Focal Length: 30mm ~ infinity
- Exposed Control: Auto
- USB Protocol: USB 2.0
- Power: DC 5.2V

HUB 3.0

- Color: glossy black
- USB 3.0 is also backward comatible with USB 2.0.
- 4 USB ports
- „High Speed" (2GB/s)
- Equipment: USB cable, power adaptor
- Supported operating system: Windows 2000/ME/XP/Vista/7, Linux 2.4 & MacOS 9.x or higher.

NEW

CR-108

- Internal Card Reader.
- Installed in 3,5" bay.
- 2×USB port
- 2 exchangeable color panels inside: black, silver
- Supported memory cards: CFI, CFII, Extreme CF, Extreme III CF, xD, Microdrive, SD, SDHC, Mini-SD, Micro SD/T-Flash, MMC, RS-MMC, MS, MS Pro, MS Duo, MS Pro Duo, Magic Gate.
- Hot-swap from memory card slots
- 5 memory card slots

CR-110

- Color: glossy black
- USB 3.0 is also backward comatible with USB 2.0.
- Possibility of transfer between different memory card slots (exception SD and microSD cannot work simultaneously)
- USB 3.0 port x 2
- 5 memory card slots
- E- Sata + USB 2.0 slot x 1
- Supported operating system: Windows 2000/ME/XP/Vista/7, Linux 2.4 & MacOS 9.x or higher

MC-MINI

- External card reader
- No drivers installation is required.
- Supported memory cards: Secure Digital Card, SDHC, Mini SD, Micro SD & Trans flash, MMC, Reduced sized MMC
- Hot-swap from memory card slots,
- No external power required,
- 1 memory card slot.

CR-109

- Color: glossy black
- USB 3.0 is also backward comatible with USB 2.0.
- Possibility of transfer between different memory card slots (exception SD and microSD cannot work simultaneously)
- Supported operating system: Windows 2000/ME/XP/Vista/7, Linux 2.4 & MacOS 9.x or higher.
- USB 3.0 port x 2
- 5 memory card slots

CR-107

- Internal Card Reader.
- Installed in 3,5" bay.
- 2 exchangeable color panels inside: black, silver
- Supported memory cards: CFI, CFII, Extreme CF, Extreme III CF, xD, Microdrive, SD, SDHC, Mini-SD, Micro SD/T-Flash, MMC, RS-MMC, MS, MS Pro, MS Duo, MS Pro Duo, Magic Gate.
- Hot-swap from memory card slots
- 5 memory card slots

MC-CR NANO

- Interfejs: USB 2.0 kompatybilny w dół z USB 1.1
- Obsługa trybów:
- high Speed (480Mbps)
- full speed (12Mbps)
- low speed (1.5Mbps) transfer rate
- Obsługa wymiany kart "na gorąco"
- Nie wymaga dodatkowego zasilania
- Nie wymaga instalacji sterowników
- 1 slot kart pamięci
- Wsparcie dla kart pamięci Micro SDHC & Trans flash

CR-COMBO 2

NEW

- External card reader with 3-port USB passive hub.
- No drivers installation is required.
- Possibility to install devices like: mouse, keyboard, MP3 player.
- Supported memory cards: Compact Flash (CF Card Type I & II), Micro Drive Card, IBM Micro Drive Card, SONY Micro Drive Card, xD-Picture Card, Secure Digital Card, Mini SD, MMC, Multimedia PRO /Plus Card, Reduced sized MMC, Memory Stick, Memory Stick Duo, Micro SD & Trans flash
- Hot-swap from memory card slots

MC-CR202

- Interface standard: USB 2.0 and backwards compatible with USB 1.1 specification
- SIM card reader
- Support high speed (480Mbps), full speed (12Mbps) and low speed (1.5Mbps) transfer rate.
- Allows data exchange in different sockets.
- Supports hot swapping.
- No external power required.
- 4 memory card slots.
- Supported memory cards: Compact Flash (CF Card Type I & II), Micro Drive Card, IBM Micro Drive Card, SONY Micro Drive Card, Smart Media Card, xD-Picture Card, Trans Flash Card*, Secure Digital Card, Mini SD, Micro SD, MMC, Multimedia PRO /Plus Card, Reduced sized MMC, Memory Stick, Memory Stick Duo, SDHC
- Note: Mini SD, Micro SD & Trans flash: memory card adaptors required.

HUB-UFO

- 7 USB ports
- Interface: USB 2.0 /USB 1.1
- Operation modes: "High Speed" (480Mbps); "Full speed" (12Mbps); "Low speed" (1.5Mbps) transfer rate
- Color: glossy black
- Dimensions: 68,1 x 24,4 mm
- Weight: 57g
- Equipment: USB cable

HUB-UF04

- 4 USB ports
- Interface: USB 2.0 /USB 1.1
- Operation modes: "High Speed" (480Mbps); "Full speed" (12Mbps); "Low speed" (1.5Mbps) transfer rate
- Color: glossy black
- Dimensions: 50 × 20 mm
- Weight: 27g
- Equipment: USB cable

CR-LEVEL

- External card reader
- No drivers installation is required.
- Supported memory cards: Compact Flash (CF Card Type I & II), Micro Drive Card, IBM Micro Drive Card, SONY Micro Drive Card, xD-Picture Card, Secure Digital Card, SDHC, Mini SD, MMC, Multimedia PRO / Plus Card, Reduced sized MMC, M2, Memory Stick, Memory Stick Duo, Micro SD & Trans flash
- Hot-swap from memory card slots,
- 6 memory card slots.

WAVE HUB

- External 7-port active USB hub.
- Possibility to install and use at the same time devices like: mouse, keyboard, MP3 player, printer.
- Color: glossy black
- 7 USB ports
- Interface: USB 2.0 /USB 1.1 „High Speed" (480Mbps), „full speed" (12Mbps) and „low speed" (1.5Mbps) transfer rate.
- Equipment: USB cable, power adaptor

CR-WAVE

- External card reader with 3-port USB passive hub
- 3 USB ports
- 4 memory card slots
- Interface: USB 2.0 /USB 1.1 „High Speed" (480Mbps), „full speed" (12Mbps) and „low speed" (1.5Mbps) transfer rate.
- No external power source needed
- Hot-swap from memory card slots

Pendrives

ZIPPER

- Capacities 4 GB, 8 GB
- Dimension: 66,7 x 19,6 x 8,2 mm
- Weight: ~8g
- Read speed: 15 MB per second
- Write speed: 5 MB per second
- USB 2.0 High Speed
- Compatible with Plug&Play
- Operating System: Windows/2000/ XP/Vista/7

MEMODRIVE SPEEDY 3.0

- Capacities 4 GB, 8 GB, 16 GB
- Dimension: 57 x 17 x 7 mm
- Weight: ~8g
- Read speed: up to 95 MB per second
- Write speed: up to 15 MB per second
- USB 3.0 Super Speed
- Compatible with Plug&Play
- Operating System: Windows/2000/XP/ Vista/7

NEW

USB 3.0

MEMODRIVE MINI

- Capacity Capacity: 2, 4, 8 GB
- Maximum Read: 7 MB per second
- Maximum Write: 3 MB per second
- Dimensions: 20,6 x 15,7 x 6,9 mm
- Compatible with Plug&Play

MC-1000HF was designed for users who are looking for the best sound quality and using comfort.
Intelligent active noise cancelling system reduce outside distracting background up to 90%.
Noise cancelling system do not modify sound from your music source.
Using comfort qurantee high quality of artificial leather around earcup and on up part.

MC-1000HF

- Frequency response: 8Hz - 22000Hz
- Impedance: 100 Ohms (non-noise reduction mode), 300 Ohms (noise reduction mode) ± 10%
- Sensitivity: 105 ± 3dB/mW@1KHz
- Rating/Maximum Power: 20mW/30mW
- Inteligentized noise cancellation: up to 22dB
- Passive noise cancellation: up to 35dB
- Battery life: about 40 hours.

Specification

- active noise cancelling system (up to 90% reducing outdoors sounds)
- active system switch
- detachable flat high quality cable with golden plate jack
- high quality materials
- stable metal headband
- elegant travel case
- additional 6,3 mm jack and airplane adapter

NEW

MC-827 INTERCEPTOR

- Frequency response: 20Hz - 20000Hz
- Impedance: 20 Ohms@1KHz
- Sensitivity: 100dB / ± 3dB
- Rating/Maximum Power: 100mW
- Connector: 3,5 mm mini - jack
- Wire Length: about 1,8 m
- additional 6,3 mm jack and airplane adapter

NEW

MC-828 STRIKER

- Speaker: 40mm;
- Magnet Type: NdFeB;
- Impedance: 32 Ohm;
- Frequency response: 20Hz-20000Hz;
- Sensitivity: 108dB;
- Rating/maximum power: 100Mw;
- Cable lenght: 2m ± 30mm;
- 2×3.5 mm gold-plated plug.
- Microphone: 160mm;
- Impedance: low;
- Sensitivity: 58dB;
- Frequency response: 30Hz-16000Hz.

NEW

MC-821 SMART

- Frequency response: 20Hz - 20000Hz
- Impedance: 20 Ohms@1KHz
- Sensitivity: 100dB / ± 3dB
- Rating/Maximum Power: 100mW
- Connector: 3,5 mm mini - jack
- Wire Length: about 1,8 m

NEW

NEW

MC-826 HUNTER

- Frequency range 20 - 20000 Hz;
- Impedance 50 Ohms@ 1KHz;
- Maximum power input 100 mW;
- Sensitivity 105dB / mW ±1dB;
- Input 3,5 mm mini jack;
- Cable lenght aprox. 1,8m

NEW

MC-816

- Frequency range: 20 - 20000 Hz
- Impedance: 50 Ohms@ 1KHz
- Maximum power input: 100 mW
- Sensitivity: 105dB / mW ±3dB
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,8m

MC-817

- Frequency response: 20Hz - 20000Hz
- Impedance: 20 Ohms@1KHz
- Sensitivity: 100dB / ± 3dB
- Rating/Maximum Power: 100mW.
- Connector: 3,5 mm mini - jack
- Wire Length: about 2 m

NEW

MC-300

- Gold plated 3,5mm jack
- Easy to use in travel
- Material cable
- Frequency range: 20 - 20000 Hz
- Impedance: 16 Ohms@ 1KHz
- Maximum power input: 50 mW
- Sensitivity: 110dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,2m

MC-210

- Unique "light beat" system with LED lights which flashes with music rhythm
- Frequency range: 20 - 20000 Hz
- Impedance: 24 Ohms@ 1KHz
- Maximum power input: 100 mW
- Sensitivity: 105dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,2m

MC-850

- Volume control
- Unique retractable cable system
- Comfortable ear cups
- Gold plated 3,5mm jack
- Frequency range: 20 - 20000 Hz
- Impedance: 32 Ohms@ 1KHz
- Maximum power input: 50 mW
- Sensitivity: 108dB / mW (+/- 3dB)
- Inputs: 3,5 mm mini jack
- 6,3 mm mono jack
- Cable lenght: aprox.2,5m

MC-400

- Volume control
- Microphone on cable
- Frequency range: 20 - 20000 Hz
- Impedance: 32 Ohms@ 1KHz
- Maximum power input: 100 mW
- Sensitivity: 105dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,8m

MC-200

- Sensitive microphone
- Soft and comfortable
- Frequency range: 20 - 20000 Hz
- Impedance: 32 Ohms@ 1KHz
- Maximum power input: 100 mW
- Sensitivity: 110dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,2

MC-120

- Speaker: 40mm;
- Magnet Type: NdFeB;
- Impedance: 32 Ohm;
- Frequency response: 20Hz-20000Hz;
- Sensitivity: 108dB;
- Rating/maximum power: 100Mw;
- Cable lenght: 2m ± 30mm;
- 2×3.5 mm gold-plated plug.
- Microphone: 160mm;
- Impedance: low;
- Sensitivity: 58dB;
- Frequency response: 30Hz-16000Hz.

MC-135

- Unique hook system
- Mini microphone
- Frequency range: 20 - 20000 Hz
- Impedance: 32 Ohms@ 1KHz
- Maximum power input: 50 mW
- Sensitivity: 102dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,2m

MC-125

- Unique hook system
- Elastic soundproof tips
- Chrome-plated elements
- Perfect signal transmission
- Frequency range: 20 - 20000 Hz
- Impedance: 16 Ohms@ 1KHz
- Maximum power input: 50 mW
- Sensitivity: 105dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox. 1,2m

MC-130

- Mini microphone
- Perfect for Skype
- Frequency range: 20 - 20000 Hz
- Impedance: 32 Ohms@ 1KHz
- Maximum power input: 50 mW
- Sensitivity: 102dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,2m

MC-10B

- Standard: Bluetooth V2.0
- Operating Distance: 8M< Distance<20 meters (free space)
- Frequency Range: 20Hz-22KHz
- Signal Noise Ratio (SNR): > 80dB
- RF Output Power: >10mW
- Battery Charing Time: 3-4 hours
- Operating Temperature: -10~50°C
- Microphone Sensitivity: -50dBm

MC-105

- Silicone material designed especially for sportsmen
- Non-twist cable
- Frequency range: 20 - 20000 Hz
- Impedance: 16 Ohms@ 1KHz
- Maximum power input: 50 mW
- Sensitivity: 102dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,2m

MC-110

- Great sound quality
- Gold plated plug
- Frequency range: 20 - 20000 Hz
- Impedance: 32 Ohms@ 1KHz
- Maximum power input: 50 mW
- Sensitivity: 105dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,2m

MC-100

- Rubberized material
- Frequency range: 20 - 20000 Hz
- Impedance: 32 Ohms@ 1KHz
- Maximum power input: 100 mW
- Sensitivity: 108dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,2m
- 4 colours: black, white, blue, pink

MC-115

- Special rope for comfortable using
- Special clip for mp3 player for easier use
- Gold plated plug
- Frequency range: 20 - 20000 Hz
- Impedance: 32 Ohms@ 1KHz
- Maximum power input: 50 mW
- Sensitivity: 105dB / mW (+/- 3dB)
- Input: 3,5 mm mini jack
- Cable lenght: aprox.1,2m

All of our multimedia speakers sets are built according to the newest technologies and production standards. Magnificent acoustics, wooden speaker boxes, high power satellite speakers, deep low frequency sounds, precise and reliable make, high functionality, highest quality membranes and cables, magnetic shielding, great sound parameters... These are the qualities that describe MODECOM speaker sets.

MC-MSF15

- Satellite speakers dimensions: 100 × 160 × 102 mm
- Subwoofer dimensions: 155 × 254 × 225 mm
- Satellite drivers: 3"
- Subwoofer driver: 4"
- Power RMS: 2.5W × 2 + 10W
- Frequency response: 85Hz-20kHz
- Signal input: 2 × RCA
- Signal input cable length: 150 cm
- Satellite speaker connection cable length: 150 cm
- Power: AC 230V @ 50 Hz ~ 90mA
- Net weight: 3,6 kg
- Gross weight: 4,2 kg

MC-HF10

- Active speakers dimensions: 110 × 110 × 182 mm
- Drivers: 1" + 3"
- Power RMS: 5W × 2
- Frequency response: 150Hz-20kHz
- SNR: 60dB
- Signal input: 2 × RCA
- Signal input cable length: 150 cm
- 2-Wire Passive speaker connection cable length: 150 cm
- Power: AC 230V @ 50 Hz ~ 80mA
- Net weight: 2,3 kg
- Gross weight: 2,7 kg

MC-MSF50

- Satellite speakers dimensions: 110x105x168 mm
- Subwoofer dimensions: 253x246x253 mm
- Satellite drivers: 3,5"
- Subwoofer driver: 6,5"
- Power RMS: 12W × 2 + 26W
- Frequency response: 60Hz-20kHz
- Signal input: 2 × RCA
- Signal input cable length: 150 cm
- Satellite speaker connection cable length: 150 cm
- Power: AC 230V @ 50 Hz ~ 0,370A
- Net weight: 6 kg
- Gross weight: 6,8 kg

MC-SHF56

- Active speakers dimensions: 175x190x285mm
- Drivers: 1" + 4"
- Power RMS: (10W+18W) x 2
- Frequency response: 45Hz-27kHz
- Signal input: 2 x RCA
- Signal input cable length: 120 cm
- Wired volume controller cable length: 120 cm
- 4-Wire Passive speaker connection cable length: 250 cm
- Power: AC 230V @ 50 Hz ~ 0.5A
- Net weight: 6,6 kg

MC-SHF80

- Active speakers dimensions: 180 × 200,5 × 305,5 mm
- Drivers: 1" + 5,25"
- Power RMS: (15W+25W) x 2
- Frequency response: 67Hz-20kHz
- Signal input: 2 × RCA
- Signal input cable length: 150 cm
- Wired volume controller cable length: 170 cm
- Passive speaker connection cable length: 250 cm
- Power: AC 230V @ 50 Hz ~ 0.6A
- Net weight: 8,36 kg
- Gross weight: 9,36 kg

MC-SHF120

- Active speakers dimensions: 222 × 231 × 356 mm
- Drivers: 1" + 6,5"
- Power RMS: (20W+40W) x 2
- Frequency response: 55Hz-20kHz
- Signal input: 2 × RCA
- Signal input cable length: 150 cm
- Wired volume controller cable length: 170 cm
- Passive speaker connection cable length: 300 cm
- Power: AC 230V @ 50 Hz ~ 0.68A
- Net weight: 12,8 kg
- Gross weight: 13,92 kg

MC-MHF60

- Satellite speakers dimensions: 125x114x186 mm
- Subwoofer dimensions: 310x184x270 mm
- Satellite drivers: 1.5" + 3"
- Subwoofer driver: 5.25"
- Power RMS: 15W x 2 + 30W
- Frequency response: 45Hz-20kHz
- Signal input: 2 x RCA
- Signal input cable length: 120 cm
- Wired volume controller cable length: 120 cm
- 2-Wire satellite speaker connection cable length: 200 cm
- Power: AC 230V @ 50 Hz ~ 0.5A
- Net weight: 8,65 kg

NEW

MC-SF10

- Active speaker dimension: 210 x 117 x 155 mm
- Speaker diameter: 3.5"
- Power: 5W x 2
- Standard Audio Input cable (3,5mm Mini Jack)
- Cable length: 157 cm
- Power supply: chain 230V @ 50 Hz
- Net weight: 2.17 kg

MC-HF100

- Low frequency without subwoofer unit
- MDF cases
- Each of the satellites comes equipped with 3 driver units
- Output Power (RMS): 50 W+50 W
- Frequency Response: 20Hz~20KHz
- S/N ratio: >65 dB
- Channel Separation: >50 dB
- Speaker Unit: 6.5", 3", 1"

MC-HF60

- Low frequency without subwoofer unit
- MDF cases
- Each of the satellites comes equipped with 2 driver units
- Output Power (RMS): 30 W+30 W
- Frequency Response: 20Hz~20KHz
- S/N ratio: >70 dB
- Channel Separation: >50 dB
- Speaker Unit: 8", 1"

MC-HF40

- Low frequency without subwoofer unit
- MDF cases
- Each of the satellites comes equipped with 2 driver units
- Output Power (RMS): 20 W+20 W
- Frequency Response: 20Hz~20KHz
- S/N ratio: >65 dB
- Channel Separation: >50 dB
- Speaker Unit: 5.25", 0.75"

MC-HF32

- Low frequency without subwoofer unit
- MDF cases
- Each of the satellites comes equipped with 2 driver units
- Output Power (RMS): 16 W+16 W
- Frequency Response: 20Hz~20KHz
- S/N ratio: >65 dB
- Channel Separation: >45 dB
- Speaker Unit: 4", 1"

MC-HF24

- Low frequency without subwoofer unit
- MDF cases
- Each of the satellites comes equipped with 2 driver units
- Output Power (RMS): 12 W+12 W
- Frequency Response: 20Hz~20KHz
- S/N ratio: >65 dB
- Channel Separation: >50 dB
- Speaker Unit: 4", 1"

NEW

MC-XS1A ART

- Power (R.M.S.): 2 x 0,5W
- Bandwidth: 200-20Khz
- USB Powered
- Standard Audio Input cable (3,5mm Mini Jack)
- Works with PC, Mp3 etc
- Dimensions: 120 x 65 x 50mm
- Attractive and modern design
- Volume control
- Weight: 230g

MC-XS1A

- Power (R.M.S.): 2 x 0,5W
- Bandwidth: 200-20Khz
- USB Powered
- Standard Audio Input cable (3,5mm Mini Jack)
- Works with PC, Mp3 etc
- Dimensions: 120 x 65 x 50mm
- Attractive and modern design
- Volume control
- Weight: 230g

NEW

MC-S1

- Wired volume control with audio input port
- Output Power (RMS): Subwoofer 5W; Satellite 2.5W x 2
- Frequency Response: Subwoofer 30 Hz - 180 Hz; Satellites 180 Hz - 20 kHz
- Dimension (Width x Height x Depth): Subwoofer 130 x 215 x 180mm; Satellite 91 x 144 x 76 mm
- S/N ratio: >= 60dB
- Input sensitivity: 600mV
- Speaker Unit: Subwoofer 3.5", 8 Ohm, 5 W (woofer); Satellites: 3", 4 Ohm, 5 W
- Channel Separation: >= 40 dB
- Secondary signal input on remote control

MC-2007

- Wired volume control with audio input port
- Output Power (RMS): Subwoofer 5W; Satellite 2.5W x 2
- Frequency Response: Subwoofer 30 Hz - 180 Hz; Satellites 180 Hz - 20 kHz
- Dimension (Width x Height x Depth): Subwoofer: 130x190x170 mm; Satellite: 70 x 170 x 87 mm
- S/N ratio: >= 60dB
- Input sensitivity: 600mV
- Speaker Unit: Subwoofer 3.5", 8 Ohm, 5 W (woofer); Satellites: 3", 4 Ohm, 5 W
- Channel Separation: >= 40 dB
- Headphones output on remote control
- Secondary signal input on remote control

MC-S2

- Wired volume control with audio input port
- Output Power (RMS): Subwoofer 5W; Satellite 2.5W x 2
- Frequency Response: Subwoofer 30 Hz - 180 Hz; Satellites 180 Hz - 20 kHz
- Dimension (Width x Height x Depth): Subwoofer: 130x190x170 mm; Satellite: 70 x 170 x 87 mm
- S/N ratio: >= 60dB
- Input sensitivity: 600mV
- Speaker Unit: Subwoofer 3.5", 8 Ohm, 5 W (woofer); Satellites: 3", 4 Ohm, 5 W
- Channel Separation: >= 40 dB
- Headphones output on remote control
- Secondary signal input on remote control

MC-2120

- External amplifier
- MDF subwoofer
- Power output (RMS): Subwoofer 16 W, Satellite 2 x 12 W
- Frequency response 35 Hz – 20 kHz
- Sensitivity Input 400 mV
- Distortion < 0,3% (1 W, 1 kHz)
- Channel Separation > 50 dB
- S/N > 80 dB
- Subwoofer 5"; Satellite 2 x 2" (magnetically shielded)

MC-2141

- Wireless volume control
- Output Power (RMS): Subwoofer 9 W, Satellite 4 W×2;
- Dimension (W×D×H): Subwoofer 150×204×195 mm, Satellite 81×149×66 mm;
- S/N ratio: >= 65 dB;
- Channel Separation: >= 45 dB;
- Magnetically shielded;
- Power Supply: AC 220V-240V/50Hz

MC-5040

- Wired remote control
- Magnetically shielded
- Output Power (RMS): Subwoofer 14W, Satellite 7W×5
- Frequency Response: 35Hz-20KHz
- S/N ratio: >= 70dB
- Channel Separation: >= 45dB
- Speaker Unit: Subwoofer 4" 4 Ohm, Satellites 2.5" 4 Ohm
- Dimension (WxDxH): Subwoofer: 242×150×215mm, Satellite: 95×88×116mm

MODECOM MC-STARTER and MC-STARTER ART is a set of multimedia products. MC-STARTER was designed for users who looking for best product quality and using comfort every day. MC-STARTER package consist of three modern designed products: set of two high-quality and compact sizes speakers one sensitive optical mouse one very attractive mousepad MODECOM – STARTER is also available in a very fascinating design options. Aside of making your desk look more interesting it will allow you to work easy and comfortably with your computer.

MC-STARTER ART

SPEAKERS:
- Power (R.M.S.): 2 x 0,5W
- Bandwidth: 200-20Khz
- USB Powered
- Standard Audio Input cable (3,5mm Mini Jack)
- Works with PC, Mp3 etc
- Dimensions: 120 x 65 x 50mm
- Attractive and modern design
- Volume control
- Weight: 230g

MOUSE:
- Interface: USB
- Resolution: 800 DPI
- Dimmensions: 104 x 33 x 59 mm
- Cable lenght: 140 cm.

MOUSEPAD:
- Dimensions: 120 x 65 x 50mm
- Weight: 27g

MC-STARTER ART

SPEAKERS:
- Power (R.M.S.): 2 x 0,5W
- Bandwidth: 200-20Khz
- USB Powered
- Standard Audio Input cable (3,5mm Mini Jack)
- Works with PC, Mp3 etc
- Dimensions: 120 x 65 x 50mm
- Attractive and modern design
- Volume control
- Weight: 230g

MOUSE:
- Interface: USB
- Resolution: 800 DPI
- Dimmensions: 104 x 33 x 59 mm
- Cable lenght: 140 cm.

MOUSEPAD:
- Dimensions: 120 x 65 x 50mm
- Weight: 27g

MODECOM V1

- MIDI TOWER
- 0.8mm Case in BLACK
- USB2.0 x 2, USB3.0x 2, Audio Port, Handy Screw, Bays with Tool-less Kit
- 3 channel fan control system
- Card-reader build-in
- FRONT: 2*120mm LED Fan (color can be option)
- SIDE: 1*200cm LED Fan (color can be option)
- REAR: 120mm Black frame with leaves Fan (fan color can be option)
- TOP: 2*120mm RED LED Fan (color can be option)

MODECOM V2

- MIDI TOWER
- 0.8mm Case in BLACK
- USB2.0 x 2, USB3.0x 2, Audio Port, Handy Screw, Bays with Tool-less Kit
- 3 channel fan control system
- Card-reader build-in
- FRONT: 2*120mm LED Fan (color can be option)
- SIDE: 1*200cm LED Fan (color can be option)
- REAR: 120mm Black frame with leaves Fan (fan color can be option)
- TOP: 2*120mm RED LED Fan (color can be option)
- Hot-swap HDD docking

NEW

- MIDI TOWER
- Case dimension including front panel: 200*460*430 (W*L*H)
- Drive Bays:
  3 x 5.25" (External)
  2x 3.5" (External)
  5 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment:
  2 x USB 2.0 port
  1 x audio HD port
  1 x microphone port
  eSATA – option
- Colour: black
- Additional place for fan: Top (120/140mm), Back (120mm), Bottom (120/140mm), Flank (2 x 120mm or 2 x 140mm)
- 12 cm Blue or Red LED fan in the front of PC Case
- Reserve holes for water-cooling system
- Net weight: 5,23 kg

CHAMPION

FORCER

NEW

- MIDI TOWER
- Case dimension including front panel: 190*468*433,8 (W*L*H)
- Drive Bays: 4 x 5.25" (External), 1x 3.5" (External), 5 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port, 1 x audio HD port, 1 x microphone port, eSATA – option
- Colour: black
- Additional place for fan: Back (120mm), Bottom (120/140mm), Flank (2 x 120mm), Top (120/140mm)
- Reserve holes for water-cooling system
- Net Weight: 5,2 kg

VIPER

NEW

- MIDI TOWER
- Case dimension including front panel: 200*460*430 (W*L*H)
- Drive Bays: 4 x 5.25" (External), 2 x 3.5" (External), 5 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port, 1 x audio HD port, 1 x microphone port
- Colour: black
- Additional place for fan:Top (2 x 120mm or 2 x 140mm), Back (120mm), Bottom (120/140mm), Flank (2 x 120mm or 2 x 140mm)
- 12 cm Blue or Red LED fan in the front of PC Case
- Reserve holes for water-cooling system
- Net weight: 5,25 kg

BULLDOZER

- MIDI TOWER
- Case dimension including front panel: 200*460*430 (W*L*H)
- Drive Bays: 3 x 5.25" (External), 1x 3.5" (External), 5 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port, 1 x audio HD port, 1 x microphone port, eSATA – option
- Colour: black
- Additional place for fan: Top (2 x 120mm or 2 x 140mm), Back (120mm), Bottom (120/140mm), Flank (2 x 120mm or 2 x 140mm)
- 12 cm Blue or Red LED fan in the front
- Reserve holes for water-cooling system
- Net weight: 5,23 kg

NEW

NEW

ALIEN

- MIDI TOWER
- Case dimension including front panel: 200*460*430 (W*L*H)
- Drive Bays: 4 x 5.25" (External), 1x 3.5" (External), 5 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port, 1 x audio HD port, 1 x microphone port, eSATA – option
- Colour: black
- Additional place for fan: Top (2 x 120mm or 2 x 140mm), Back (120mm), Bottom (120/140mm), Flank (2 x 120mm or 2 x 140mm)
- 12 cm Blue or Red LED fan in the front of PC Case
- Reserve holes for water-cooling system
- Net Weight: 5,29 kg

NEW

Q-MASTER

- MIDI TOWER
- Case dimension including front panel: 190*468*433,8 (W*L*H)
- Drive Bays: 4 x 5.25" (External), 1x 3.5" (External), 4 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port, 1 x audio HD port, 1 x microphone port
- Colour: black
- Additional place for fan: Top (120/140 mm), Back (120mm), Bottom (120/140mm), Flank (2 x 120mm or 2 x 140mm)
- 12 cm Blue or Red LED fan in the front of PC Case
- Reserve holes for water-cooling system
- Net Weight: 5,40 kg

NEW

- MIDI TOWER
- Case dimension including front panel: 190*468*433,8 (W*L*H)
- Drive Bays:
  3 x 5.25" (External)
  1x 3.5" (External)
  4 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment:
  2 x USB 2.0 port
  1 x audio HD port
  1 x microphone port
  eSATA – option
- Colour: black
- Additional place for fan:
  Top (120/140mm), Back (120mm), Bottom (120/140mm), Flank (2 x 120mm or 2 x 140mm)
- 12 cm Blue or Red LED fan in the front of PC Case
- Reserve holes for water-cooling system

VIKING

GAMER

- MIDI TOWER
- Case dimension including front panel: 185*460*440 (W*L*H)
- Drive Bays: 2 x 5.25" (External); 1x 3.5" (External); 3 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port; 1 x audio HD port; 1 x microphone port
- Colour: black
- Additional place for fan: Back (120mm), Front (120mm), Flank (2 x 120mm)
- Reserve holes for water-cooling system
- Net Weight: 4,90 kg

NEW

X-STATION

- MIDI TOWER
- Dimensions: 180*477*415 (W*D*H)
- Drive Bays: 4 x 5.25" (External); 1x 3.5" (External); 5 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port; 1 x audio port; 1 x microphone port
- Manual fan speed control
- Colour: black
- Reserve holes for water-cooling system
- Airduct: availiable to assemble
- Net Weight: 4,74 kg

NEW

MODECOM is unchallenged leader in manufacturing computer cases, offering many types, such as: Midi, Mini, Slim, Ultra Slim and Mini ITX. Cases are differentiated by functionality and requirements of the users, from basic simple design solutions, to very advanced, modern, elegant and futuristic forms. MODECOM cases feature: perfect parameters, modern solutions, precision of execution and high quality of material.

NEW

PRO-STATION

- MIDI TOWER
- Dimensions: 180*470*430 (W*D*H)
- Drive Bays: 3 x 5.25" (External), 1 x 5.25 (Internal), 1x 3.5" (External), 4 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port, 1 x audio HD port, 1 x microphone port
- Colour: black
- Reserve holes for water-cooling system
- Net Weight: 5,38 kg

NEW

STEP2

- MIDI TOWER
- Dimensions: 180*477*415 (W*D*H)
- Drive Bays: 3 x 5.25" (External); 1x 3.5" (External); 5 x 3.5" (Internal)
- Mainboard size: ATX (12" x 9,6")
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port, 1 x audio HD port, 1 x microphone port
- Colour: black
- Airduct: availiable to assemble
- Net Weight: 4,3 kg

NEW

GC2

- MIDI TOWER
- Dimensions: 180*430*415 (W*D*H)
- Drive Bays: 4 x 5.25" (External), 1x 3.5" (External), 5 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port, 1 x audio port, 1 x microphone port
- Colour: black
- Reserve holes for water-cooling system
- Airduct: availiable to assemble
- Net Weight: 5,5 kg

NEW

FEEL2

- MIDI TOWER
- Dimensions: 180*477*415 (W*D*H)
- Drive Bays: 4 x 5.25" (External), 3x 3.5" (External), 6 x 3.5" (Internal)
- Mainboard size: ATX (12" x 9,6"))
- Expansion Slot: 7
- Equipment:2 x USB 2.0 port, 1 x audio HD port, 1 x microphone port
- Colour: black, white
- Airduct: availiable to asseble
- Net Weight: 4,47 kg

HARRY 8300

- MIDI TOWER
- Drive bays: external 5,25": 4; 3,5": 1; internal: 3,5": 5 / 2 chassis 8300B
- Mainboard configuration: ATX, MICRO ATX
- Standard USB: 2
- CD Cover: OK
- Slots: 7
- HD Audio: OK
- Dimensions (Width x Depth x Height): 180 x 400 x 415 mm
- Option: 80mm or 92mm fan on backside & front side

SWING 8300

- MIDI TOWER
- Dimensions: 180*430*415 (W*D*H)
- Drive Bays: 4 x 5.25" (External), 1x 3.5" (External), 5 x 3.5" (Internal)
- Mainboard size: ATX i MICRO ATX.
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port, 1 x audio port, 1 x microphone port
- Colour: black
- Reserve holes for water-cooling system
- Airduct: availiable to asseble
- Net Weight: 5,5 kg

NEXT2 MIDI 8300

- MIDI TOWER
- Dimension: 180 * 477 * 415 (W * D * H)
- Type: Middle Tower Case
- Drive Bay: 5.25" x 4 (Ext) 3.5"x 1(Ext) 3.5" x 2 (Int)
- Mainboard Size: ATX & MICRO ATX, ITX
- Expansion Slot: 7
- Standard: 2 * USB & Audio Port / C.A.G. 1.1, One CD cover
- Options: 80mm or 92mm Fan on the front and the back side. LCD with Auto Controlled Fan
- COLOR: ALL BLACK, BLACK+RED

PRIME MIDI 8300

- MIDI TOWER
- Dimensions: 180×477×415 (W×D×H)
- Drive Bays: 3 x 5.25" (External), 1x 3.5" (External), 2 x 3.5" (Internal)
- Board: ATX & Micro ATX & ITX format
- Expansion Slot: 7
- Power Supply: ATX power supply
- Front Panel Color: Black+Silver
- Standard: USB2.0 (4port) & Audio (Speaker / Mic)
- Option: 92mm / 80mm fan on back side; Ports – HD Audio

STEP 207

- MIDI TOWER
- DRIVE BAYS: 5.25"×4 (EXT), 3.5"×1 (EXT), 3.5"×2 (INT)
- DIMENSIONS: 180×470×415 (W × D × H)
- MAINBOARD SIZE: ATX & Micro ATX, ITX
- Equipment: 2×USB & Audio Ports, CD-Cover, Ready for Prescott
- POWER SUPPLY: Standard atx
- COLOR: BLACK
- OPTION: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers

DEBUT

- MIDI TOWER
- DRIVE BAYS 5.25" × 4 (EXT), 3.5" × 1 (EXT); 3.5" × 2 (INT)
- DIMENSIONS: 180 × 477× 415 (W × D × H)
- MAINBOARD SIZE: ATX & Micro ATX, ITX
- Equipment: 2×USB ports & Audio Ports, CD-Cover, Ready for Prescott
- COLOR: Black+Silver
- Expansion SLOT 7
- POWER SUPPLY: Standard Atx
- OPTION: 80mm or 92mm fan at the front or back chassis, Additional CD-Covers

DRAGON

- MIDI TOWER
- Dimensions: 180×477×415 (W×D×H)
- Drive Bays: 3 x 5.25" (External), 1x 3.5" (External), 5 x 3.5" (Internal)
- Board: ATX & Micro ATX & ITX format
- Expansion Slot: 7
- Power Supply: ATX power supply
- Front Panel Color: Black+Silver
- Standard: USB2.0 (4port) & Audio (Speaker / Mic)
- Option: 120mm fan on back side & front side; 92mm fan on back side; 80mm fan on back side; Ports – HD Audio, e-SATA; Air Guide on the side; Intel CAG 1.1 Available; Side cover open alarm switch

STEP 407

- MIDI TOWER
- DRIVE BAYS 5.25" × 4 (EXT), 3.5" × 1 (EXT); 3.5" × 5 (INT)
- DIMENSIONS: 180 × 477× 415 (W × D × H)
- MAINBOARD SIZE: ATX & Micro ATX, ITX
- Equipment: 2×USB ports & Audio Ports, CD-Cover, Ready for Prescott
- COLOR: Silver+Black, Black+Silver
- Expansion SLOT 7
- POWER SUPPLY: Standard Atx
- OPTION: 120mm fan on back side; 80mm or 92mm fan at the front or back chassis, Additional CD-Covers

NEXT2 MINI

- MINI tower
- Dimension: 180 * 477 * 415 (W * D * H)
- Drive Bay: 5.25" * 4 (Ext) 3.5" * 1(Ext) 3.5" * 5 (Int)
- Mainboard Size: ATX & MICRO ATX, ITX
- Expansion Slot: 7
- Standard: 2 * USB & Audio Port / C.A.G. 1.1 , One CD cover
- Options: 80mm or 92mm Fan on the front and the back side. LCD with Auto Controlled Fan * 1, Sata Connector, 1394 FIRE WIRE Port
- Color: BLACK+RED

ENJOY2 MINI

- Mini Tower
- Dimensions: 180°437°355 (W°D°H)
- Drive Bays: 2 x 5.25" (External); 1x 3.5" (External); 3 x 3.5" (Internal)
- Board: Micro ATX & ITX format
- Expansion Slot: 4
- Power Supply: ATX power supply
- Front Panel Color: Black+Silver
- Standard: USB2.0 (2 port) & Audio (Speaker / Mic)
- Option: 92mm fan on back side & front side, 80mm fan on back side & front side, Ports – HD Audio, Air Guide on the side Intel CAG 1.1 Available

HARRY MINI

- MINI tower
- DRIVE BAYS: 5.25" × 2 (EXT), 3.5" × 1 (EXT), 3.5" × 3 (INT)
- DIMENSIONS: 180×437×355 (W × D × H)
- MAINBOARD SIZE: MICRO ATX, ITX
- Equipment: 2×USB & Audio Ports,
- CD-Cover, Ready for Prescott
- COLOR: BLACK
- POWER SUPPLY: Standard atx
- OPTION: 80mm or 92mm fan at the front or back chassis, additional CD-Covers

DEBUT MINI

- MINI tower
- DRIVE BAYS, 5.25" × 2(EXT), 3.5" × 1(EXT), 3.5" × 3(INT)
- DIMENSIONS: 180×437×355 (W × D × H)
- MAINBOARD SIZE: MICRO AT, ITX
- Equipment: 2×USB & Audio Ports, 1×CD-Cover, Ready for Prescott
- COLOR: SILVER, BLACK
- POWER SUPPLY: Standard atx
- Expansion SLOT 4
- OPTION: 80mm or 92mm fan at the front or back chassis, additional CD-Covers

NEW

NICE2 MINI

- MINI tower
- Dimensions: 178°380°360 (W°D°H)
- Drive Bays: 1 x 5.25" (External); 1 x 5.25 (Internal); 1x 3.5" (External); 1 x 3.5" (Internal)
- Mainboard size: MICRO ATX/ITX
- Expansion Slot: 7
- Equipment: 2 x USB 2.0 port; 1 x audio HD port; 1 x microphone port
- Colour: black

SWING MINI

- MINI tower
- DRIVE BAYS: 5.25" × 2 (EXT), 3.5" × 2 (EXT), 3.5" × 2 (INT)
- DIMENSIONS: 180×438×336mm (W×D×H)
- MAINBOARD SIZE: MICRO ATX, ITX
- Equipment: 2×USB 2.0 & Audio Ports, CD-Cover, Ready for Prescott
- POWER SUPPLY: Standard atx
- COLOR: Black+Silver, Silver+Black
- OPTION: Additional CD-Cover, 80mm or 92mm fan at the front or back chassis

FEEL 105

- ULTRA SLIM
- Dimensions: 92 mm × 395 mm × 335 mm (W×D×H)
- Drive Bays: 5.25"×1 (EXT), 3.5"×1(EXT), 3.5"×2 (INT)
- MAINBOARD SIZE: Mirco ATX
- Equipment: Four USB2.0 & AUDIO ports, 60mm MB Fan
- Expansion slot: 4EA (Low Profi le Type)
- Power Supply: TFX type PSU
- Option: Led, Temperature Sensor, LCD Display

FEEL 205

- ULTRA SLIM
- Dimensions: 92 mm × 395 mm × 335 mm (W×D×H)
- Drive Bays: 5.25"×1 (EXT), 3.5"×1 (EXT), 3.5"×2 (INT)
- MAINBOARD SIZE: Mirco ATX
- Equipment: Two USB2.0 & AUDIO ports, 60mm MB Fan
- Expansion slot: 4EA (Low Profi le Type)
- Power Supply: TFX type PSU

ULTRA SLIM TYPE!
MODECOM Ultra Slim models – Feel 105 & Feel 205 are a perfect choice for the users, who value modern solutions, funcionality and comfort. Ultra slim type pc cases are capable enough to install all necessary pc components , while saving space, and this is their main advantage. MODECOM Feel 105 & Feel 205 features interesting and modern design combined with elegant black gloss painting. Pc cases are equipped with 2 USB 2.0 and HD Audio .

Mini ITX type – MODECOM Feel is a perfect choice, for all the users, who value modern solutions, funcionality and comfort. ITX pc cases are capable enough to install all necessary pc components, while saving space, and this is their main advantage.

FEEL 202

- ITX
- Dimensions: 60 mm × 325 mm × 220 mm (W×D×H)
- Drive Bays: 5.25"×1 slim type (EXT), 3.5"×1 (INT)
- MAINBOARD SIZE: Mini ITX
- thickness: 0,8t secc
- Power Supply: Internal DC-DC Power converter
- Equipment: 2×USB & Audio Port
  COLOR: White, Black, Silver

FEEL 302

- ITX
- Dimensions: 60 mm × 321 mm × 220 mm (W×D×H)
- Drive Bays: 5.25"×1 slim type (EXT), 3.5"×1 (INT)
- MAINBOARD SIZE: Mini ITX
- thickness: 0,8t secc
- Power Supply: Internal DCDC Power converter
- Equipment: 2×USB & Audio Port
- COLOR: Black+Silver, Silver+Black

NEW

ROYAL MC-U65

- UNIVERSAL NOTEBOOK ADAPTER 65W
- Compatible with most laptops with different input voltages
- slim and modern design
- automatically sets the correct voltage for your notebook
- efficiency > 87%
- input: AC100-240V 1.2A 50/60HZ
- output: DC15-24V 65W
- safety: (OP) over-power, (OH) over-heat, (SC) short-circuit, (OC) over-current, (OV) over-voltage
- Compatible laptop brand: HP, Acer, Gateway, Toshiba, Asus, Samsung, Sony, Fujitsu, Dell, Lenovo, IBM

ROYAL MC-UC65

- UNIVERSAL CAR NOTEBOOK ADAPTER 65W
- compatible with most laptops with different input voltages
- ergonomic and modern design
- automatically sets the correct voltage for your notebook
- USB port: 5V max 2A
- LED indicator showing power connection
- efficiency > 87%
- input: DC11-15V max 8A
- output: DC15-24V 65W
- safety: (OP) over-power, (OH) over-heat, (SC) short-circuit, (OC) over-current, (OV) over-voltage
- Compatible laptop brand: HP, Acer, Gateway, Toshiba, Asus, Samsung, Sony, Fujitsu, Dell, Lenovo, IBM

NEW

ROYAL MC-U90

- UNIVERSAL NOTEBOOK ADAPTER 90W
- compatible with most laptops with different input voltages
- slim and modern design (only 16mm thick)
- automatically sets the correct voltage for your notebook
- efficiency > 87%
- LCD display
- input: AC100-240V 1.2A 50/60HZ
- output: DC15-24V 90W
- safety: (OP) over-power, (OH) over-heat, (SC) short-circuit, (OC) over-current, (OV) over-voltage
- Compatible laptop brand: HP, Acer, Gateway, Toshiba, Asus, Samsung, Sony, Fujitsu, Dell, Lenovo, IBM

NEW

NEW

ROYAL MC-D90

- DEDICATED POWER ADAPTER 90W
- MODECOM introduced 8 power adapters dedicated for most popular notebook brands: ACER, ASUS, DELL, HP, LENOVO, SAMSUNG, SONY, TOSHIBA.
This is the new and unique approach to the power adapters subject.
Selected adapter designed for the laptop manufacturer includes all tips used by this manufacturer in their notebooks.
Thanks to this You can be sure that the purchased power adapter will fit to Your laptop.
- slim and modern design (16mm height)
- automatically sets the correct voltage for your notebook
- efficiency > 87%
- LCD display
- input: AC100-240V 1.2A 50/60HZ
- output: DC15-24V 90W
- safety: (OP) over-power, (OH) over-heat, (SC) short-circuit, (OC) over-current, (OV) over-voltage

MODECOM Laptop Power Supplies

We present our latest, high quality power supplies for laptops. Laptop power supplies from MODECOM ensure a safe and stable power for your laptop.
Thanks to slim design, and low weight our's power supplies are a very convenient and easy to carry. In order to maximize your laptop security, our power supplies are equipped with an automatic voltage regulation.

Take care of the environment!
GREEN ENERGY power supply retains 85% efficiency at typical loading. Energy efficient will save your money on energy bill and save the environment.

NEW

80 PLUS BRONZE
85% efficiency at typical loading

GREEN ENERGY

- **Available Power: 400W or 500W**
- 1×20+4pin (with net),
- 1×12V PS4pin+PS4pin+PS4pin,
- 1×FDD,
- 4×SATA (2+2),
- 2×Molex,
- 2×6pin PCIE,
- 1× I/O switch,
- 1×fan grill,
- 12cm green fan,
- Active PFC, CE, ROHS;
- 1.8M CE power cord, EUP, 4 screws
- Retail box version



Years ago MODECOM has established it's market position as a producer of modern and technologically advanced computer power supplies.
Customers have confidence in MODECOM made PSU, due to well known quality and reliability. From basic models dedicated for standard configurations, up to exclusive high wattage models made for the advanced and the most demanding PC computers. Perfect parameters of cooling, stable work, precision of execution and high quality of materials are trademarks of all MODECOM PSU.
MODECOM is also the highest level of safety due to implementation of all certified security solutions.

MC-S420 ATX

- Low noise and ripple
- 60 mm fan
- Over voltage, over current, shortcircuit protection
- Vacuum impregnated transformer
- Hold up time- 2-20 ms for 230V / 50 Hz
- Humidity: 5 ~ 90%
- Efficiency: 68% minimum SFX 350W P/S
- ATX20+4Pin, 1 SATA, PPFC, 4 molex, 1 fdd, 1 P4 Pin
- Power cord

MODECOM PREMIUM

- **Available power: 430W, 530W**
- Compatible with ATX 2.3;
- Low-speed 14 cm fan;
- chromium grill;
- Beehive architecture;
- passive PFC;
- EuP;
- Automatic fan control (AFC);
- overcurrent and overvoltage protection;
- super silent;
- CE; RoHS
- Retail box version

Premium 430W – 20-24 pin, 3 sata, 2 molex, 1 fdd, P4, 1 PCI-E 6 pin
Premium 530W – 20/24 pin, 4 Sata, 2 molex, 1 fdd, EPS 4+4, 1 PCI-E 6 pin

NEW

MODECOM CARBON

- **Available power: 530W, 620W**
- 14CM FAN
- Black color,
- 20+4pin connector, SATA
- Screws ground,
- Fan grill,
- I/O switch,
- CE power cord
- Connectors:

Carbon 530W – 14 CM FAN, ATX20+4 PIN, SATA 2+2, PASSIVE PFC, 1 PCI-E 6 PIN, 5 MOLEX, 2 FDD, 1 EPS4+4
Carbon 620W – 14 CM FAN, ATX20+4 PIN, SATA 2+2, ACTIVE PFC, 1 PCI-E 6 PIN, 1 PCI-E 6+2 PIN, 5 MOLEX, 2 FDD, 1 EPS4+4

FEEL

- **Available power: 420W, 520W, 620W**
- 12CM FAN
- 20+4pin connector, SATA
- Screws ground,
- Fan grill,
- I/O switch,
- Connectors:

Feel 420W – 3 SATA, 120 MM FAN, PPFC, 2 MOLEX, 1 FDD, 1 P4 PIN
Feel 520W – 4 SATA, 120 MM FAN, PPFC, 1 PCI-E 6 PIN, 2 MOLEX, 1 FDD, 1 P4 PIN
Feel 620W – 4 SATA, 120 MM FAN, PPFC, 1 PCI-E 6 PIN, 2 MOLEX, 1 FDD, 1 EPS4+4

- Automatic fan control (AFC)
- Short circuit and over-voltage filters Silent operation
- Very low interference

MC-WR22

- IEEE 802.11n Support (2T2R)
- Transfer Speed: up to 300Mbps
- Ideal for DSL or LAN connections
- Backward compatible with IEEE 802.11b/g
- Designed for home users and small and medium-sized businesses
- Quick Setup Wizzard provides fast and intuitive configuration of the most important settings
- Instant wireless setup with WPS (Wireless Protected Setup)
- Advanced Encryption: WPA2 (802.11i), 802.11x, 64/128-bit WEP

MC-UN11A

- IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
- Transfer Speed: up to 150Mbps
- Security: WPS; WPA2 (802.11i), WPA, WPA-PSK (TKIP/AES), WEP (64/128-bit), 802.1x
- QoS - WMM, WMM-PS
- Infrastructure, Ad-Hoc & Software AP
- 5dbi Antena (RP-SMA)
- Interface: USB 2.0
- Operating Frequency: 2.4GHz~2.4835GHz
- Bandwidth: 20MHz / 40MHz
- Max Receiver Sensitivity: -90dBm@8% PER
- Max. Transmit Output Power (with antenna): 20 dbm (100mW)
- Modulation Schemes: DBPSK/DQPSK/CCK/OFDM

MC-WR11

- IEEE 802.11n Support (1T1R)
- Transfer Speed: up to 150Mbps
- Ideal for DSL or LAN connections
- Backward compatible with IEEE 802.11b/g
- Designed for home users and small and medium-sized businesses
- Quick Setup Wizzard provides fast and intuitive configuration of the most important settings
- Instant wireless setup with WPS (Wireless Protected Setup)
- Advanced Encryption: WPA2 (802.11i), 802.11x, 64/128-bit WEP

NEW

NEW

MC-UN11C

- IEEE 802.11n (1T1R) 150Mbps
- WPS, WPA2 (802.11i), WPA, 802.1x, 64/128-bit WEP
- QoS - WMM, WMM-PS
- Infrastructure, Ad-Hoc & Software AP
- Windows 2000, XP, Vista & Win 7; Linux, MAC OS
- Ultra small size

MC-UN22

- Compliant with draft IEEE 802.11n standard (2T2R)
- Up to 300Mbps data transfer rates in IEEE 802.11n mode
- Backward compatible with IEEE 802.11b/g
- Supports WPS, WPA2 (802.11i), WPA, 802.1x advanced security
- Supports 64/128-bit WEP Data Encryption
- Supports Quality of Service (QoS) - WMM, WMM-PS
- Supports both Infrastructure and Ad-Hoc Networking Modes
- Supports Multiple BSSID
- Simple user setup and diagnostics utilities
- Supported OS: MS Windows 2000, XP, Vista (32/64 bit) & Windows 7.

No matter if you look for simple wired mouse, gaming mouse or wireless mouse we have it for you. MODECOM mice come in many shapes and colors, so that anyone can find the perfect one. Moreover many of our mice come with very attractive artwork designs so they can reflect your style. The things in common for all of our mice are: great quality and user experience.

NEW

MC-909

- Dimensions: 117×72×41 mm
- Interface: USB
- Sensor: Optical
- Resolution: 800-1200-1600 DPI;
- OS: Windows 2000/XP/Vista/ Win7, Linux
- Net weight: 112 g
- Cable length: 200 cm

MC-M4

- Dimensions: 102 × 60 × 41 mm
- Interface: USB
- Sensor: Optical
- Resolutin: 800 DPI
- Supported operating systems: Windows: 98/ME/2000/XP/Vista/7; Linux; Mac OS X
- Color versions: black – matt, dark gray – gloss
- Perforated sides of the mice, that were covered with special coating assure great comfort of use.

NEW

MC-WM4

- Sensor: Optical
- Resolution (dpi) 800/1600
- Interface: USB
- Receiver: Nano - 2.4GHz
- Dimension (L*W*H) 98*70*38 mm
- OS:
- Windows 2000/XP/Win7/Vista;
- Linux
- Color versions:
- Black Matt
- Dark Gray Metallic
- Perforated side grips

MC-320

- Resolution: 800 DPI
- Interface: USB
- Cable legth: 89 cm
- USB cable compartment

MC-C1

- Retractable USB cable
- 3 exchangeable color panels included
- USB Voltage: 5V
- Maximum current drawn from USB: 100mA
- Maximum acceleration: 30 inches/sec.
- Resolution: 800DPI
- Dimensions: 78.6×50×29mm
- Interface USB

MC-320 ART

- Resolution: 800 DPI
- Interface: USB
- Cable legth: 89 cm
- USB cable compartment

MC-M2 ART

- Interface: USB
- Resolution: 800DPI
- Two buttons + scroll wheel as 3rd button
- Dimmensions MC-M2: 104 × 60 × 35 mm

NEW

YUPI ART

- Interface: USB
- Resolution: 800 DPI
- Mouse Buttons: 2 buttons + 1 wheel
- Sensor: Optical
- Browse way: Vertical Scroll
- Product size: 102 (L)× 60 (W)× 37 (H) mm

MC-300

- Wireless Optical Mouse with Charger Receiver
- Resolution: 800 DPI.
- Plug & Play
- Sleep Mode – Save More Power
- Outstanding Performance on every surface
- Scroll Light up-Lower Reminder Function
- Colour: black+silver, silver+black

MC-619 ART BUTTERFLY

- Resolution: 800 DPI
- Interface: USB
- 2 scroll wheel modes
- 2.4GHz wireless connection
- Working range: do 10 m
- Nano receiver
- Energy saving
- AAA batteries powered
- Low battery level LED

MC-619

- Resolution: 800 DPI
- Interface: USB
- 2 scroll wheel modes
- 2.4GHz wireless connection
- Working range: do 10 m
- Nano receiver
- Energy saving
- AAA batteries powered
- Low battery level LED

MC-619 ART SKULL2

- Resolution: 800 DPI
- Interface: USB
- 2 scroll wheel modes
- 2.4GHz wireless connection
- Working range: do 10 m
- Nano receiver
- Energy saving
- AAA batteries powered
- Low battery level LED

MC-619 ART PALMS

- Resolution: 800 DPI
- Interface: USB
- 2 scroll wheel modes
- 2.4GHz wireless connection
- Working range: do 10 m
- Nano receiver
- Energy saving
- AAA batteries powered
- Low battery level LED

MC-602

- Attractive design
- Compact dimensions – perfect for notebook users
- High quality
- Wireless work at up to 2 m
- High resolution 800 DPI
- Receiver: USB (storable underneath the Mouse)
- Power saving techniques
- RF interface: 27MHz
- Batteries: 2 x AAA

MC-619 ART SKULL

- Resolution: 800 DPI
- Interface: USB
- 2 scroll wheel modes
- 2.4GHz wireless connection
- Working range: do 10 m
- Nano receiver
- Energy saving
- AAA batteries powered
- Low battery level LED

MC-901

- DPI mode: 800
- The idea to combine the appearance, applicability and super-slim design
- Double Lens: better performance than laser mouse
- Outstanding performance on any surface
- Brand-new technology developed by professionals
- Light, small and easily portable
- Unique and modern design with aluminum case for stylish users
- Interface: USB

MC-610

- Resolution: 1600/1200/800 dpi
- 4 Directions Scroll: Left/Right/Up/Down
- Internet Page: Forward/Backward
- Switch Lifetime: 5 Million Clicks
- Interface: USB
- Cable Length: 150 cm
- Attractive design
- Compact design – perfect for notebook users
- Ergonomic shape
- Programmable buttons
- G-Laser technology (double lens) - works on most surfaces
- 2 buttons for Web browser
- Dimension: 110 × 61 × 35 mm

MC-907

- Resolution: 1600/1200/800 dpi
- Image Processing: 5.8 MP/sec.
- Max. Acceleration: 15g
- Max. Speed: 40 Inches/sec.
- Interface: USB
- Cable Length: 180 cm
- Attractive design
- High quality
- Ergonomic shape
- Programmable buttons with settings memory within the mouse
- Pixel processing speed: 5.8MPix/sec.
- Colour: grey-black; blue-black

MC-802

- Touchpad instead of the traditional wheel
- The latest 4-way touch technology
- Perfect optical technology
- Optical mechanism suitable for left and right handed users
- Smooth movement of the cursor
- Perfect for viewing images, large documents and spreadsheets
- High resolution (800 dpi) and sensitivity
- Working status light
- Interface: USB

MC-900

- Frame rate: 7080FPS
- Solution: A6010
- Acceleration: 20G
- Pixel processing: 6364920
- Shift gear: yes
- Shift mode: press
- Shift display: yes
- DPI mode: 400-800-1600-2000
- Keystroke lifetime: 5 000 000
- Wheel lifetime: 100 000
- Wire length: 2.0m
- Interface: USB

MC-906

- Frame rate: 7080FPS
- Solution: A6010
- Acceleration: 20G
- Pixel processing: 6364920
- Shift gear: yes
- Shift mode: press
- Shift display: yes
- DPI mode: 400-800-1600-2000
- Keystroke lifetime: 5 000 000
- Wheel lifetime: 100 000
- Wire length: 2.0m
- Interface: USB

MC-920

- Resolution: 1600/1200/800 dpi
- 4 Directions: Left/Right/Up/Down
- Internet Page: Forward/Backward
- Switch Lifetime: 5 Million clicks
- Interface: USB
- Cable Length: 150 cm
- Weight: 141g
- Attractive design
- Ergonomic shape
- G-Laser technology (double lens) - works on most surfaces
- 2 buttons for Web browser control

MC-930

- Frame rate: 6500FPS
- Solution: A3080
- Acceleration: 15G
- Pixel processing: 5753600
- Shift gear: yes
- Shift mode: press
- Shift display: yes
- DPI mode: 400-800-1200-1600
- Keystroke lifetime: 5 000 000
- Wheel lifetime: 100 000
- Wire length: 2.0m
- Interface: USB

MODECOM provides various types of keyboards: low-profile, ultra-slim, standard keycap, wireless, multimedia and VoIP keyboards. Our keyboards offer many useful multimedia, internet and system hotkeys. You may also find our keyboards in sets with mice.

NEW

MC-910

- Resolution: 1600/1200/800 dpi
- 4 Directions Scroll: Left/Right/Up/Down
- Internet Page: Forward/Backward
- Switch Lifetime: 5 Million clicks
- Interface: USB
- Cable Length: 150 cm
- Weight: 141g
- Attractive design
- Ergonomic shape
- G-Laser technology (double lens) - works on most surfaces
- 2 buttons for Web browser control
- Dimension: 130 x 72 x 41 mm

NEW

MC-9006

- Backlit keycaps. Switchable backlight modes: turned off, red or blue backlit
- Dimensions: 466.5 x 173 x 25.4 mm
- 7 multimedia Hotkeys
- Interface: USB
- Cable length: 180 cm
- Input current: 5V@200mA
- Net weight: 0.77kgs
- System compatible: 98/ME/2000/XP/Vista/7

NEW

MC-8000

- Backlit V for Volcano logo
- Splash-proof design
- Red keys for games control
- Dimensions: (L)485×(W)213×(H)30 mm
- 20 multimedia Hotkeys
- Interface: USB
- Cable length: 200 cm
- Input current: 5V@50mA
- Net weight: 0.74kgs
- System compatible: 98/ME/2000/XP/Vista/7

MC-9005

- Dimensions: 415×187.5×16.8 mm;
- 15 multimedia Hotkeys;
- Interface: USB;
- Net weight: 680g;
- System compatible: 2000/XP/Vista/7
- Brushed aluminum look

MC-5003

- Notebook keyboard structure,
- 5 multimedia Hotkeys,
- Super Slim: 17 mm
- Interface: PS/2, USB;
- Multimedia: Play/Pause, Stop, Mute, Volume down, Volume up
- System Compatible: 2000/XP/Vista/7

MC-5004

- Notebook keyboard structure,
- 5 multimedia Hotkeys,
- Super Slim: 14 mm,
- Multimedia: Play/Pause, Stop, Mute, Volume down, Volume up,
- Interface: USB;
- System Compatible: 2000/XP/Vista/7

MC-6005

- Dimensions: 485.0 x 159.0 x 29.10 mm
- Number of hot-keys: 14
- Number of keys: 104
- Interface: USB
- USB cable length: 150 cm
- Power: USB 5V@100mA
- Interface: PS/2

MC-9001 PHONE

- Various layouts available
- Keyboard with net phone
- Support Skype, QQ, MSN
- Optional phone modes
- Keyboard with sound card
- Convenient volume knob
- Ultra-slim appearance, simple and fashion
- Multimedia Hotkeys
- Keystroke lifetime: over 10 million times USB interface

MC-5005

- Dimensions: 442×160×20.3 mm;
- 10 multimedia Hotkeys;
- Interface: USB;
- Net weight: 550g;
- System compatible: 2000/XP/Vista/7
- Brushed aluminum look

MC-7001

- Modern notebook keyboard structure
- 17 multimedia Hotkeys
- Volume control knob
- Super Slim: 21mm
- Nice to touch
- Multimedia: Media, Play/Pause, Pre track, Next track, Stop, Mute, Volume down, Volume up
- Internet: Web Stop, Backward, Forward, Favourite, Refresh, Search, Web, E-mail
- Interface: PS/2

MC-6000

- Only English layout available
- Superior digital wireless technology
- Modern notebook keyboard structure!
- Optical Mouse of exceptional precision
- Super slim keyboard design
- 20 multimedia Hotkeys
- Volume control knob
- Interface: USB
- Functions: Standby Mode, Calculator, My Computer, Web browsing and E-Mail control

MC-7000

- Only English layout available
- Superior digital wireless technology
- Modern notebook keyboard structure!
- Optical Mouse of exceptional precision
- Super slim keyboard design
- 19 multimedia Hotkeys
- Volume control knob
- Rechargeable Mouse
- Interface: USB
- Functions: Standby Mode, Calculator, My Computer, Web browsing and E-Mail control

MC-6100G WI-FI

- Various layouts available
- High-speed 2.4 GHz Wireless radio technology
- 34 PAGESg office hotkeys
- Intelligent power-saving technology
- UV coated keycaps
- Multimedia keyboard with 5D optical mouse
- 800CPI resolution for mouse
- USB Mouse docking station with charger

MODECOM has recently introduced an impressive collection of laptop bags, bagpacks and accessories for electronic devices.
To satisfy the demands of all the laptops users, MODECOM offers elegant ladies laptop bags, classically designed men bags, bagpacks and messenger type bags for active people and teenagers, camera cases, console cases, GPS and mobile phone pouches.

RICHMOND

- Material: Polyester + Pu
- Notebook Size: 15-16"
- Bag Size: 41 x 32.5 x 10,5 cm
- Modern design,elegant, practical,two additional pockets

Organization:
- Special compartment for laptop
- Main compartment with pockets for accessories.
- Front and back pockets for documents
- Elegant finish
- Solid handles

CHELSEA

- Material: Polyester + Pu
- Notebook Size: 15-16"
- Bag Size: 46 x 34 x 12 cm
- Modern design,elegant, practical, for every occasion

Organization:
- Special compartment for laptop
- Main compartment with pockets for accessories.
- Elegant finish
- Solid handles

QUEENS T4

- Material: Polyester
- Notebook Size: 10"-12"
- Organization:
  - netbook pocket with compartments for easy organization
  - two additional pockets
- Comfortable shoulder strap with adjustable length
- Dimensions: 32 x 26 x 5cm
- Internal dimensions of the laptop pocket: 28,5 x 23 x 4cm

QUEENS T3

- Material: Nylon
- Notebook Size: 10"-12"
- Organization:
  - netbook pocket with compartments for easy organization
  - three additional pockets
  - partitions on the cell phone, business cards and stationery
- Comfortable shoulder strap with adjustable length
- Dimensions: 31 x 24 x 9cm
- Internal dimensions of the laptop pocket: 29 x 21 x 5cm

SOHO

- Material: Polyester
- Notebook Size: 12-14"
- Bag Size: 39 x 29 x 6 cm
- Modern design,elegant, practical,two additional pockets

Organization:
- Special compartment for laptop
- Main compartment with pockets for accessories.
- Front and back pockets for documents
- Elegant finish
- Solid handles

NEW

ASPEN

- Material: Nylon
- Notebook Size: 15-16"
- Size: 48 x 37 x 13 cm
- Modern design, multichamber, practical, solid, ergonomic

Organization:

- Front pocket for accessories
- Central pocket for documents,mp3 player, mobile phone etc.
- Back pocket for laptop with compartment
- Two sides pockets

NEW

PHOENIX

- Material: Nylon
- Notebook Size: 15-16"
- Size: 44 x 32 x 17 cm
- Modern design, multichamber, practical, solid, ergonomic

Organization:

- Two small pockets for accessories
- Front pocket for documents,mp3 player, mobile phone etc.
- Back pocket for laptop with compartment
- Two sides pockets with unique net.

MANHATTAN K1

- Material: Polyester
- Notebook size: 15"-16"
- 1 large chamber useful for short trips with the possibility of closure with padlock
- 1 secure laptop pocket
- two additional side pockets - additional pocket on front flap
- Retractable shoulder straps, telescoping handle, lightweight and practical wheels

NEW

CHEROKEE

- Material: Nylon
- Notebook Size: 15-16"; 16-17"
- Bag Size: 41 x 32 x 6 cm (15-16") 42 x 32,5 x 6 cm (16-17")
- Classic style, solid and secure, practical front pocket

Organization:

- Front pocket for mobile phone, docs, business cards etc,
- Two extra pockets in the inner part
- Additional compartment in main chamber
- Comfortable shoulder strap with adjustable length

NEW

ROCKWELL

- Material: Nylon
- Notebook Size: 15-16 "
- Internal dimensions of the laptop pocket: 40 x 30 x 5cm
- Classic design, broad functionality

Organization

- Large notebook compartment with zip fastener.
- Divider separating the computer from the power supply
- Additional compartment for mouse and other peripherals or documents
- Outer pocket with compartments for pens and business cards
- Comfortable handle and shoulder strap with adjustable length

NEW

ARIZONA

- Material: Nylon
- Notebook Size: 15-16"
- Bag Size: 48 x 37 x 20 cm
- MODERN DESIGN, MULTICHAMBER, PRACTICAL, SOLID, ERGONOMIC

Organization:

- Two small pockets for accessories
- Front pocket for documents,mp3 player, mobile phone etc.
- Special output for headphones
- Back pocket for laptop with compartment
- Two sides pockets with unique net.

NEW

CLEVELAND

- Material: Nylon
- Notebook Size: 15-16"; 16-17"
- Bag Size: 41 x 32 x 6 cm (15-16") 42 x 32.5 x 6 cm (16-17")
- Classic style, solid and secure, practical front pocket

Organization:

- Front pocket for mobile phone, docs, business cards etc,
- Two extra pockets in the inner part
- Additional compartment in main chamber
- Comfortable shoulder strap with adjustable length

NEW

BARROW

- Material: Nylon
- Notebook Size: 15-16 "
- Internal dimensions of the laptop pocket: 42 x 34 x 7,5 cm
- Unique, elegant style, solid and secure, practical front pocket

Organization

- Front pocket for mobile phone, docs, business cards etc.
- Additional pockets in the inner part
- Additional compartment in main chamber
- Comfortable shoulder strap with adjustable length

NEW

KODIAK

- Material: Nylon
- Notebook Size: 15-16 "
- Internal dimensions of the laptop pocket: 43 x 34 x 8 cm
- Unique,elegant style, solid and secure, practical front pocket

Organization

- Front pocket for mobile phone, docs, business cards etc.
- Additional pockets in the inner part
- Additional compartment in main chamber
- Comfortable shoulder strap with adjustable length

JUNEAU

- Material: Nylon
- Notebook Size: 15-16 "
- Internal dimensions of the laptop pocket: 46 x 36 x 8,5 cm
- Comfortable, solid and secure, practical front pocket, multicompartment

Organization

- Front pocket for mobile phone, docs, business cards etc,
- Two extra pockets in the inner part
- Side nets
- Comfortable shoulder strap with adjustable length

NEW

CLAYTON

- Material: Nylon
- Notebook Size: 15-16 "
- Internal dimensions of the laptop pocket: 44 x 34 x 10 cm
- Unique, elegant style, solid and secure, multicompartment

Organization

- Two Front pockets for mobile phone, business cards etc,
- Second compartment for documents, additional back pocket
- Belt mounted carrying case cache
- Additional compartment in main chamber
- Comfortable shoulder strap with adjustable length

NEW

JUKON

- Material: Nylon
- Notebook Size: 15-16 "
- Internal dimensions of the laptop pocket: 43 x 34 x 8 cm
- Unique, elegant style, solid and secure, practical front pocket

Organization

- Front pocket for mobile phone, docs, business cards etc,
- Additional pockets in the inner part
- Additional compartment in main chamber
- Comfortable shoulder strap with adjustable length

NEW

NEW

YORK

- Material: Nylon
- Notebook Size: 15-16 „
- Internal dimensions of the laptop pocket: 40 x 30 x 5cm
- Classic design, broad functionality
- Large notebook compartment with zip fastener.
- Divider separating the computer from the power supply
- Additional compartment for mouse and other peripherals or documents
- Outer pocket with compartments for pens and business cards
- Comfortable handle and shoulder strap with adjustable length

MARK

- Material: Nylon
- Laptop size: 15,6'' and 17''
- Dimension:
  15,6'': 41 x 31,5 x 5,5 cm
  17'': 42,5 x 34 x 7cm
- 1 main laptop compartment with zipper and inside: stiffened divider for additional safety inside; 1 big pocket for mouse and power adapter
- 1 front pocket
- 1 trolley bag strap at the back of the bag

BROOKLYN C1

- Available colours: black, red, silver
- Size: 11,5 x 19,5 x 4cm
- Material: Neopren
- Single pocket

BROOKLYN S1

- Material: Neoprene
- One laptop compartment
- Colors available: Red, Silver, Black, Blue, Violet

Laptop compartment sizes available:

- 10"-12"
  external dimensions: 320x245x30 mm
  notebook dimensions: 310x235x15mm
- 12"-14"
  external dimensions: 370x280x15 mm
  notebook dimensions: 360x270x30 mm
- 14"-16"
  external dimensions: 420x300x15 mm
  notebook dimensions: 410x300x35 mm
- 16"-18"
  External dimensions: 460x310x15 mm
  Notebook dimensions: 450x300x40 mm

This is one of the most reliable and well known of all our product groups. We sell high quality toners and ink cartridges at most competitive prices. All of printing supplies can reach the highest standards required by the newest printers. Quality and page yield meet the highest standards set by market leaders.
More information on www.modecom.eu.

In MODECOM portfolio there are over 600 products, including 50 licensed models: Mattel, Looney Tunes, Cartoon Network, Warner Bros. MODECOM licensed products describe not just a business practice, but also a lucrative industry, producing millions worth of sale. MODECOM licensed products are powerful marketing tool, they generate recognition, maintain ongoing brand awareness and can reinforce brand image, while offering opportunities and benefits to your company.

Now in MODECOM offer you can find a new collection of totally amazing computer accessories with the famous and funny Scooby Doo.
Enjoy Scooby adventure!
SCOOBY-DOO!